## In the Claims:

Please amend claims 11-14 as follows:

- 1-10. (Canceled)
- 11. (Currently Amended) A liquid crystal display device comprising:

an active matrix panel having a coloring member;

- a liquid crystal having spontaneous polarization, sealed in said active matrix panel; and
- a writing/erasing unit for displaying an image on a frame by frame basis by repeating a data writing process and a data erasing process for said active matrix panel,

wherein one frame time, after a period of the data erasing process and a period of the data writing process respectively, a period is provided in which the data is held without performing either the data writing process or the data erasing process.process, and

wherein a holding period after the data writing process and a holding period after the data erasing process are substantially the same.

12. (Currently Amended) The liquid crystal display device as set forth in claim 11,A liquid crystal display device comprising:

an active matrix panel having a coloring member;

<u>a liquid crystal having spontaneous polarization, sealed in said active</u>

<u>matrix panel; and</u>

a writing/erasing unit for displaying an image on a frame by frame basis by repeating a data writing process and a data erasing process for said active matrix panel,

wherein one frame time, after a period of the data erasing process and a period of the data writing process respectively, a period is provided in which the data is held without performing either the data writing process or the data erasing process, and

the liquid crystal display device further comprising: comprises:

a back-light for irradiating white light on said coloring member; and

a back-light controller for controlling said back-light to be turned on or off according to the period of the data writing process, the period of the data erasing process, and the period during which neither the data writing process nor the data erasing process is performed.

13. (Currently Amended) A liquid crystal display method using a liquid crystal display device constructed by sealing a liquid crystal having spontaneous polarization in an active matrix panel including a coloring member;

wherein an image is displayed on a frame by frame basis by repeating a data writing process and a data erasing process for the active matrix panel, and

wherein one frame time, after a period of the data erasing process and a period of the data writing process respectively, a period is provided in which the data is held without performing either the data writing process or the data erasing process.process, and

wherein a holding period after the data writing process and a holding period after the data erasing process are substantially the same.

forth in claim 13,A liquid crystal display method using a liquid crystal display device constructed by sealing a liquid crystal having spontaneous polarization in an active matrix panel including a coloring member;

wherein an image is displayed on a frame by frame basis by repeating a data writing process and a data erasing process for the active matrix panel, and

wherein one frame time, after a period of the data erasing process and a period of the data writing process respectively, a period is provided in which the data is held without performing either the data writing process or the data erasing process, and

wherein white light is irradiated on the coloring member, and irradiation/non-irradiation of the white light is controlled according to the period of the data writing process, the period of the data erasing process and the period during which neither the data writing process nor the data erasing process is performed.